

:

: 52/2018

μ μ -

: 17/07-09-2016 ( : 75 46530 - 2 ), 26/ 04-10-2012 ( : 4 81-70 )

	μ.		1501- +	( 17/07-09-2016)	
<b>μ</b>					
20.02	.01	- μ	02-03-00-00		
20.05.01	.02	E μ μ μ μ	02-04-00-00		
20.04.01	.03	E μ μ	02-04-00-00		
22.10.01	.04	μ , μ	15-02-01-01		
22.20.01	.05				
01.1	.06	μ	05-03-03-00 *	μ	05-03-03-00
02.2	.07	0,10 m ( . . . -155)	05-03-03-00 *	μ	05-03-03-00
01	.08	μ μ μ			
\ 56	.09	μ			
.20.30	.10	( )			
38.02	.01	μ	01-04-00-00		
38.03	.02		01-04-00-00		
38.20.03	.03	μ μ , μ μ B500C	01-02-01-00 *	μ μ	01-02-01-00
38.20.02	.04	μ μ , B500C.	01-02-01-00 *	μ μ	01-02-01-00
32.02.04	.05	μ , μ , μ C16/20	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		

\*



	μ.		1501- +	( 17/07-09-2016)	
μ					
11.01.02	.05	K μμ iron)	μ	(ductile	

25/06/2018

25/06/2018

25/06/2018

... / μ