

:

: 53/2018

μ μ -

: 17/07-09-2016 (: 75 46530 - 2), 26/ 04-10-2012 (: 4 81-70)

	μ.		1501- +	(17/07-09-2016)	
μ					
20.02	.01	- μ	02-03-00-00		
20.05.01	.02	E μ μ μ μ	02-04-00-00		
20.04.01	.03	E μ μ	02-04-00-00		
22.10.01	.04	μ , μ	15-02-01-01		
22.20.01	.05				
01.1	.06	μ	05-03-03-00 *	μ	05-03-03-00
02.2	.07	0,10 m (. . . -155)	05-03-03-00 *	μ	05-03-03-00
01	.08	μ μ μ			
\ 56	.09	μ			
.20.30	.10	()			
38.02	.11	μ	01-04-00-00		
38.03	.12		01-04-00-00		
\38.20.03	.13	μ μ , μ μ B500C	01-02-01-00 *	μ μ	01-02-01-00
38.20.02	.14	μ μ , μ μ B500C.	01-02-01-00 *	μ μ	01-02-01-00
32.02.04	.15	μ , μ μ μ C16/20	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		

*

	μ.		1501- +	(17/07-09-2016)	
μ					
32.01.04	.16	μ μ μ , μ μ μ μ C16/20	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
29.3.4	.17	μ C16/20 (,) μ	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
			01-03-00-00 *	μ	01-03-00-00
			01-04-00-00		
			01-05-00-00		
32.25.03	.18	μ μ μ , 30,00m3 μ μ μ C16/20 μ			
\ 51	.19	μ μ μ			
51	.20	μ	05-02-01-00 *	- -	05-02-01-00
73.11	.21	μ	03-07-03-00 *	μ	03-07-03-00
\73.16	.22	μ			
\73.16	.23	μ μ			
\7896	.24	μ μ			
74.90.04	.25	() , μ μ , 3 cm.			
\74.30.14	.26	μ μ μ μ μ μ μ μ μ μ μ μ μ μ 10 μ μ μ μ μ μ μ 3 cm, μ μ μ μ μ μ μ 6			
\74.35	.27	μ	03-07-03-00 *	μ	03-07-03-00

	μ.		1501- +	(17/07-09-2016)	
μ					
\48.50	.28	μ μ μ			
48.50	.29	μ μ μ μ	03-02-02-00 *	μ	03-02-02-00
\52.13	.30	iroko μ			
\52.61.1	.31				
11.01.02	.32	K μμ (ductile iron)			
11.02.04	.33		08-07-01-04		
\9302	.01				
\9306	.02	μ , μ ,			
\9307.6.1	.03	40 x 40 cm, 40 cm			
\9311.2	.04	1,30x0,40x0,50 m			
\9350.1	.05	μ () 1.10x0.30x1.20 m			
\9353	.06	μ			
9303	.07	μ μ μ			
\9312.6	.08	1m X 1m X 1,2m			
\9316.6	.09	μ 2 1/2 ins μ			
\9315.2	.10	110/90 μ			
9305	.11	μ 19 9 6 cm			
\9315.1	.12	μ			
\9430.6	.13	μ			
\9325.5	.14	9 m			
\9325.2	.15	7 μ.			
\9325.1.1	.16	5 μ			
\9324.2	.17	5 μ.			
9336.1.1	.18	μ 3 1,5mm2			
\9337.5.2.5	.19	Y 5 2,5 mm			
\9337.5.4	.20	Y 5 4mm			
9340.2	.21	μ μ 16mm2			
\9342	.22	22 μ 1,50m			

	μ.		1501- +	(17/07-09-2016)	
μ					
60.10.40.04	.23	μ μ μ (LED), μ 50 - 80 W, μ	05-07-02-00 *	μ μ	05-07-02-00
60.10.40.08	.24	μ μ μ (LED), μ 110 - 150 W, μ	05-07-02-00 *	μ μ	05-07-02-00
60.10.40.03	.25	μ μ μ (LED), μ 50 - 80 W,	05-07-02-00 *	μ μ	05-07-02-00
μ					
1444		μ μ 600 kg			
1445		μ μ 450 kg			

09/07/2018

09/07/2018

09/07/2018

...

...

... / μ

/ &

...

...