

: 17/07-09-2016 (: 75 46530 - 2), 26/ 04-10-2012 (: 4 81-70)

| | μ. | | 1501- + | (17/07-09-2016) | |
|----------|----|-----------------|---------------|------------------|-------------|
| μ | | | | | |
| 04.1.3 | 1 | / μ 4 m | 10-06-04-01 * | μ | 10-06-04-01 |
| 04.2.1 | 2 | μ 4 μ 8 m | 10-06-04-01 * | μ | 10-06-04-01 |
| 10.04 | 3 | μ μ | | | |
| 10.07.01 | 4 | μ μ | | | |
| 20.04.01 | 5 | E μ - μ μ | 02-04-00-00 | | |
| 20.05.01 | 6 | E μ - μ μ μ μ | 02-04-00-00 | | |
| 20.10 | 7 | μ , μ | 02-07-02-00 | | |
| 20.20 | 8 | μ μ | | | |
| 20.30 | 9 | μ μ μ | | | |
| 20.40 | 10 | | | | |
| 22.10.01 | 11 | μ μ μ μ , μ μ | 15-02-01-01 | | |
| 22.15.01 | 12 | μ μ μ μ , μ μ μ | 15-02-01-01 | | |
| 22.20.01 | 13 | | | | |
| 22.21.01 | 14 | | | | |
| 22.23 | 15 | μ | 14-02-01-01 | | |
| 22.45 | 16 | μ | | | |
| 31.02.01 | 17 | μ μ 200 kg μ m3 | 01-01-01-00 * | μ | 01-01-01-00 |

| | μ. | | 1501- + | (17/07-09-2016) | |
|----------|----|--------------------------------------|---------------|------------------|-------------|
| μ | | | | | |
| 32.01.04 | 18 | μ , μ μ , μ μ μ μ C16/20 | 01-01-01-00 * | μ | 01-01-01-00 |
| | | | 01-01-02-00 | | |
| | | | 01-01-03-00 * | μ | 01-01-03-00 |
| | | | 01-01-04-00 * | μ μ | 01-01-04-00 |
| | | | 01-01-05-00 | | |
| | | | 01-01-07-00 | | |
| 32.01.05 | 19 | μ , μ μ , μ μ μ μ C20/25 | 01-01-01-00 * | μ | 01-01-01-00 |
| | | | 01-01-02-00 | | |
| | | | 01-01-03-00 * | μ | 01-01-03-00 |
| | | | 01-01-04-00 * | μ μ | 01-01-04-00 |
| | | | 01-01-05-00 | | |
| | | | 01-01-07-00 | | |
| 32.25.04 | 20 | μ μ μ , 30,00m3 μ μ μ C20/25 μ | | | |
| 38.01 | 21 | | 01-04-00-00 | | |
| 38.02 | 22 | μ | 01-04-00-00 | | |
| 38.03 | 23 | | 01-04-00-00 | | |
| 38.13 | 24 | μ μ | 01-05-00-00 | | |
| 38.20.02 | 25 | μ μ μ B500C. | 01-02-01-00 * | μ μ | 01-02-01-00 |
| 38.20.03 | 26 | μ μ μ μ B500C | 01-02-01-00 * | μ μ | 01-02-01-00 |
| 54.20.01 | 27 | ο , μ , μ , μ 9x9 cm | 03-08-01-00 | | |
| 54.46.01 | 28 | 13 cm μ μ , | 03-08-01-00 | | |
| 54.51 | 29 | μ | 03-08-01-00 | | |
| 54.68 | 30 | μ , | 03-08-01-00 | | |
| 54.72 | 31 | μ | 03-09-01-00 | | |
| 56.21 | 32 | μ DUROPAL | | | |

| | μ. | | 1501- + | (17/07-09-2016) | |
|----------|----|---|---------------|------------------|-------------|
| μ | | | | | |
| 56.23 | 33 | μ μ μ | 03-09-01-00 | | |
| 56.24 | 34 | μ μ , μ μ | 03-09-01-00 | | |
| 62.21 | 35 | μμ | 03-08-02-00 | | |
| 64.01.01 | 36 | μ μ μ , | | | |
| 71.21 | 37 | μ - μ μ μ | 03-03-01-00 | | |
| 73.16.02 | 38 | μ μ , 30 cm | | | |
| 73.26.03 | 39 | 15x15 cm, μ , μ , | 03-07-02-00 | | |
| 73.33.02 | 40 | 30x30 cm μ μ , GROUP 4, | 03-07-02-00 | | |
| 73.34.01 | 41 | 20x20 cm μ μ GROUP 1, | 03-07-02-00 | | |
| 73.35 | 42 | () μ | | | |
| 73.36.02 | 43 | , 2,5 cm μ μ μ | | | |
| 74.90.04 | 44 | () , 3 cm. μ μ , | | | |
| 75.01.04 | 45 | μ μ , μ (μ) , 3 cm 11 - 30 cm | 03-07-03-00 * | μ | 03-07-03-00 |
| 75.31.01 | 46 | μ μ μ , 2 cm | 03-07-03-00 * | μ | 03-07-03-00 |
| 76.27.01 | 47 | μ μ - μ - 8 mm, 5 mm) 18 mm, (5 mm, | 03-08-07-02 | | |
| 77.15 | 48 | μ μ | 03-10-02-00 | | |
| 77.16 | 49 | μ μ μ | 03-10-05-00 | | |
| 77.17.01 | 50 | μ μ μ μ , μ μ | 03-10-02-00 | | |
| | | | 03-10-05-00 | | |
| 77.17.02 | 51 | μ μ μ , | 03-10-02-00 | | |
| | | | 03-10-05-00 | | |
| 77.54 | 52 | μ μ μ μ | 03-10-01-00 | | |
| 77.55 | 53 | μ μ μ μ | 03-10-03-00 | | |

| | μ. | | 1501- + | (17/07-09-2016) | |
|------------|----|----------------------------|-------------|------------------|--|
| μ | | | | | |
| 77.80.01 | 54 | μ μ , , μ μ μ μ , - μ | 03-10-02-00 | | |
| 77.80.02 | 55 | μ μ , , μ μ μ μ , - μ | 03-10-02-00 | | |
| \78.91 | 56 | | | | |
| 79.03 | 57 | μ μ μ | | | |
| 79.08 | 58 | μ μ | | | |
| 79.23 | 59 | μ , EN 934-2 | | | |
| \ 78.96 | 60 | μ | | | |
| 17 | 61 | μ | | | |
| .8840.1.2 | 62 | μ μ IP 40 | | | |
| \8995.4 | 63 | μ - μ μ | | | |
| \8995.2 | 64 | μ μ | | | |
| \8995.5 | 65 | μ | | | |
| \8995.3 | 66 | μ - | | | |
| \8801.1.6 | 67 | 10 250 V μ , μ | | | |
| \8826.3.2 | 68 | μ μ | | | |
| \8971.1 | 69 | μ μ led μ , μ 27w | | | |
| .8871.4.3 | 70 | μ 40 , μ 30 mA, 30 msec | | | |
| \8971.2 | 71 | μ μ led μ , μ 18 w | | | |
| 8751.1.4 | 72 | μ 4mm2 | | | |
| 8751.1.5 | 73 | μ 6mm2 | | | |
| .8797.3 | 74 | μ EXIT LED | | | |
| 8256.1.1.1 | 75 | μ μ 60 /4 KW μ | | | |
| \8732.2 | 76 | μ μ μ 16 | | | |

| | μ. | | 1501- + | (17/07-09-2016) | |
|------------|----|------------------------------|---------|------------------|--|
| μ | | | | | |
| \8732.3 | 77 | μμ μ 21 | | | |
| \8301.1 | 78 | μ - - | | | |
| \8046.1 | 79 | μ | | | |
| \8307.2.2 | 80 | μ W.C. | | | |
| .8165.2.3 | 81 | 40 x 40 x 30 cm, μ 60 cm | | | |
| \8141.2.2 | 82 | μ (μ) μ - , μ μ μ μ 1/2 ins | | | |
| \8603.6 | 83 | μ μ μ - | | | |
| .8042.1.2 | 84 | 6 atm, μ 40 mm P.V.C., | | | |
| .8042.1.3 | 85 | 6 atm, μ 50 mm P.V.C., | | | |
| .8042.1.5 | 86 | 6 atm, μ 75 mm P.V.C., | | | |
| .8042.1.7 | 87 | 6 atm, μ 100 mm P.V.C., | | | |
| \8115.2 | 88 | μ 1/2" 24/19 | | | |
| \8432.7 | 89 | μ μ 900 400 33 | | | |
| \8432.8 | 90 | μ μ 900 500 | | | |
| \8432.9 | 91 | μ μ 900 300 | | | |
| .8151.18.2 | 92 | mm μ 18x2 | | | |
| .8151.22.3 | 93 | mm μ 22x3 | | | |
| \8731.2.5 | 94 | μ . μ.29mm () μ | | | |
| \8731.2.6 | 95 | μ . μ. 36mm () μ | | | |
| \8693.3 | 96 | | | | |
| μ | | | | | |

| | | | | | |
|------|----|-----|---------|------------------|--|
| | μ. | | 1501- + | (17/07-09-2016) | |
| μ | | | | | |
| 1508 | | μ μ | | | |

21 / 3 / 2017

μ

/